**BMW** Media Information

1/2012

Valid from 3/2012

## Specifications. BMW 3 Series Sedan. 316d, 318d



		BMW 316d	BMW 318d
Bodv			
No. of doors/seats		4/5	4/5
L/W/H 1) (unladen)	mm	4624 / 1811 / 1429	4624 / 1811 / 1429
Wheelbase	mm	2810	2810
Front/rear track	mm	1543 / 1583	1543 / 1583
Ground clearance		134371363	13437 1363
Turning circle	mm	11.3	11.3
	m opprovid	57	57
Fuel capacity  Cooling and heating system	approx. I	7.6 (7.7)	7.6 (7.7)
reservoir capacity Engine oil capacity <sup>2)</sup>	'	5,2	5.2
Weight, unladen (DIN/EU)	kg	1410 / 1485	1410 / 1485
	'\9	(1430 / 1505)	(1430 / 1505)
Payload (DIN)	kg	550	550
Permitted total weight	kg	1960 (1980)	1960 (1980)
Permitted axle load, front/rear	kg	905 / 1130	905 / 1130
Permitted trailer load (12%) braked/unbraked	kg	1600 / 745	1600 / 745
Permitted roof load/trailer download	kg	75 / 75	75 / 75
Luggage compartment capacity		480	480
Aerodynamic drag	c <sub>c</sub> x A	0.26 x 2.20	0.26 x 2.20
Engine			
Type/no. of cylinders/valves		in-line / 4 / 4	in-line / 4 / 4
Engine technology		BMW TwinPower Turb	o technology with variable-geometry
3		turbocharger, common-rail	direct fuel injection with magnetic valve im injection pressure 1600 bar
Effective capacity	CC	1995	1995
Stroke/bore	mm	90.0 / 84.0	90.0 / 84.0
Compression ratio	:1	16.5	16.5
Fuel type		Diesel	Diesel
Output	kW/hp	85 /116	105 / 143
at rpm	min <sup>-1</sup>	4000	4000
Torque (with overboost)	Nm	260	320
at rpm	min <sup>-1</sup>	1750 – 2500	1750 – 2500
Electrical			
Battery charge/location	Ah/- 9	0 / luggage compartment	90 / luggage compartment
Alternator current/output	A/W	180 / 2520	180 / 2520
Driving Dynamics and Safety	,		
Front suspension			trut axle with displaced camber, small positive sverse force compensation, anti-dive
Rear suspension			in lightweight construction
Front brakes			swing-calliper disc brakes
Diameter	mm	<sup>4)</sup> /vented	<sup>4)</sup> /vented
Rear brakes			swing-calliper disc brakes
Diameter	mm	<sup>4)</sup> /vented	<sup>4)</sup> /vented
Driving stability systems		As standard: DSC incl. ABS, A	ASC and DTC (Dynamic Traction Control), Control, DBC Dynamic Brake Control,
		brake drying function, f	ading compensation, start-off assist
Safety equipment		As standard: driver and front-seat passenger airbags, driver and front-seat passenger side airbags, front and rear head airbags, three-point automatic seatbelts for all seats, seatbelt tensioners and seatbelt force limiters in front seats, crash sensors, tyre defect indicator	
Steering			k-and-pinion power steering (EPS), function, Variable Sport Steering
		<u> </u>	
Overall steering ratio	:1	15.1	15.1
Overall steering ratio Front/rear tyres	:1	15.1 205/60 R16 92W	15.1 205/60 R16 92W

1/2012

Valid from 3/2012

## Specifications. BMW 3 Series Sedan.

		BMW 316d	BMW 318d	
BMW ConnectedDrive				
Comfort	Optional: BMW Assist including information service, remote functions, Real-Time Traffic Information, BMW TeleServices, mobile device integration			
Information and entertain				
Safety		Optional: Adaptive Headlights with turning adaptive headlight range adjustment, hig control, rear view camera, Surround Vie BMW Head-Up Display, cruise control wit Lane Chance Warning, Lane Departure Wa limit and no passing information, Active Pr	yh beam assistance, park distance ew incl. Side View and Top View, h brake function, Parking Assistant, arning with Collision Warning, speed	
Transmission				
Type of gearbox		6-speed manual (optional: 8-speed	automatic with Steptronic)	
Gear ratios I	:1	4.002 (4.714)	4.002 (4.714)	
		2.109 (3.143)	2.108 (3.143)	
		1.380 (2.106)	1.380 (2.106)	
		1.000 (1.667)	1.000 (1.667)	
V	/ :1	0.781 (1.285)	0.780 (1.285)	
V	/I :1	0.645 (1.000)	0.645 (1.000)	
	/II :1	- (0.839)	- (0.839)	
	/III :1	- (0.667)	- (0.667)	
F	R :1	3.647 (3.295)	3.647 (3.295)	
Differential ratio	:1	3.231 (2.813)	3.231 (2.813)	
Performance				
Weight-to-power ratio (DIN unladen)	kg/kW	16.6 (16.8)	13.4 (13.6)	
Specific power output	kW/l	42.6	52.6	
Acceleration 0–100	km/h sec.	10.9 (11.2)	9.0 (9.2)	
0-1,00	00 m sec.	32.1 (32.1)	29.9 (30.0)	
in 4th/5th gear 80-120	km/h sec.	9.3 / 12.5	7.5 / 9.8	
Max. speed	km/h	202 (202)	212 (212)	
BMW EfficientDynam	ics			
BMW EfficientDynamics included as standard		Brake Energy Regeneration, electron Automatic Start/Stop function, gear shift in intelligent lightweight construction, on-demon regulated oil pump, air flap control, Electricalc compressor, differential with optimize reduced rolling results.	ndicator (manual), ECO PRO mode, and operation of ancillary units, map- c Power Steering (EPS), detachable ed-warm-up behaviour, tyres with	
Fuel consumption (FI	I\ <sup>3)</sup>			
Fuel consumption (EL	•			
with standard wheels and	d tyres	5 <i>4 (</i> 5 <i>4</i> )	5 5 (5 /)	
with standard wheels and Urban	d tyres I/100 km	5.4 ( 5.4) 3.7 (3.8)		
with standard wheels and Urban Extra-urban	// tyres //100 km //100 km	3.7 (3.8)	3.8 (3.9)	
with standard wheels and Urban Extra-urban Total	// tyres // 100 km // 100 km // 100 km // 100 km	3.7 (3.8) 4.3 (4.4)	3.8 (3.9) 4.4 (4.4)	
with standard wheels and Urban Extra-urban Total CO <sub>2</sub> emissions with 7,5J x 16 wheels an with 7,5J x 18 wheels at with 8J x 18 wheels at first 8J x 18 wheels 8J x 18 w	d tyres  1/100 km 1/100 km 1/100 km 1/100 km 1/100 km g/km 1/100 km 2/5/55 R16 tyre 225/45 R18 tyre ont, 8,5J x 18 wh	3.7 (3.8) 4.3 (4.4) 114 (116) res, with 7,5J x 17 wheels and 225/50 R 17 wheels at rear and 225/50 R17 tyres at front,	3.8 (3.9) 4.4 (4.4) 116 (117) tyres, 255/45 R17 tyres at rear, 55/40 R18 tyres at rear,	
with standard wheels and Urban Extra-urban Total CO <sub>2</sub> emissions with 7,5J x 16 wheels an with 7,5J x 18 wheels at with 8J x 18 wheels at first 8J x 18 wheels 8J x 18 w	d tyres  1/100 km 1/100 km 1/100 km 1/100 km g/km d 225/55 R16 tyr front, 8,5J x 17 v 225/45 R18 tyre ont, 8,5J x 18 wh ont, 8,5J x 19 wh	3.7 (3.8) 4.3 (4.4) 114 (116) res, with 7,5J x 17 wheels and 225/50 R 17 wheels at rear and 225/50 R17 tyres at front, 5, eels at rear and 225/45 R18 tyres at front, 2	3.8 (3.9) 4.4 (4.4) 116 (117) tyres, 255/45 R17 tyres at rear, 55/40 R18 tyres at rear, 55/35 R19 tyres at rear	
with standard wheels and Urban Extra-urban Total CO <sub>2</sub> emissions with 7,5J x 16 wheels an with 7,5J x 18 wheels at with 8J x 18 wheels at frwith 8J x 19 wheels at frwith 8J x 19 wheels at frwith 8J x 19 wheels at from with 8J x 19 wheels at from wheels at from with 8J x 19 wheels at from wheels at the whe	d tyres   /100 km  /100 km  /100 km  /100 km g/km dd 225/55 R16 tyr front, 8,5J x 17 v 225/45 R18 tyre: ont, 8,5J x 18 wh ont, 8,5J x 19 wh	3.7 (3.8) 4.3 (4.4) 114 (116) res, with 7,5J x 17 wheels and 225/50 R 17 wheels at rear and 225/50 R17 tyres at front, 5, eels at rear and 225/45 R18 tyres at front, 2 eels at rear and 225/40 R19 tyres at front, 2	3.8 (3.9) 4.4 (4.4) 116 (117) tyres, 255/45 R17 tyres at rear, 55/40 R18 tyres at rear, 55/35 R19 tyres at rear 5.5 (5.4)	
with standard wheels and Urban Extra-urban Total CO <sub>2</sub> emissions with 7,5J x 16 wheels an with 7,5J x 17 wheels at with 8J x 18 wheels at frowith 8J x 19 wheels at frouth 8J x 19 wheels at frouth 8J x 19 wheels at frouth	d tyres  1/100 km 1/100 km 1/100 km 1/100 km g/km d 225/55 R16 tyr front, 8,5J x 17 v 225/45 R18 tyre ont, 8,5J x 18 wh ont, 8,5J x 19 wh	3.7 (3.8) 4.3 (4.4) 114 (116) res, with 7,5J x 17 wheels and 225/50 R 17 wheels at rear and 225/50 R17 tyres at front, 3, eels at rear and 225/45 R18 tyres at front, 2 eels at rear and 225/40 R19 tyres at front, 2 5.5 (5.4)	3.8 (3.9) 4.4 (4.4) 116 (117) tyres, 255/45 R17 tyres at rear, 55/40 R18 tyres at rear, 55/35 R19 tyres at rear  5.5 (5.4) 3.9 (3.9)	
with standard wheels and Urban Extra-urban Total CO <sub>2</sub> emissions with 7,5J x 16 wheels an with 7,5J x 18 wheels and with 8J x 18 wheels at frow th 8J x 19 wheels at frow th 8J x 19 wheels at frow th 8J x 19 wheels at fro	d tyres  1/100 km 1/100 km 1/100 km 1/100 km g/km d 225/55 R16 tyr front, 8,5J x 17 v 225/45 R18 tyre ont, 8,5J x 18 wh ont, 8,5J x 19 wh 1/100 km	3.7 (3.8) 4.3 (4.4) 114 (116) res, with 7,5J x 17 wheels and 225/50 R 17 wheels at rear and 225/50 R17 tyres at front, 3, eels at rear and 225/45 R18 tyres at front, 2 eels at rear and 225/40 R19 tyres at front, 2 5.5 (5.4) 3.9 (3.9)	255/45 R17 tyres at rear, 55/40 R18 tyres at rear,	

Technical data valid for ACEA countries/Some permitted weights valid only for Germany Figures in brackets are for vehicles with automatic transmission

 $<sup>^{1)}</sup>$  Height with roof aerial: 1441 mm  $^{2)}$  Oil change volume  $^{3)}$  Fuel consumption and  $\rm CO_2$  emissions depend on the selected tyre format  $^{4)}$  Not yet available